

S-WELD SPATTER GUARD (ANTISPATTER SPRAY)

INGREDIENTS

methylene chloride
carbon dioxide

CAS No

75-09-2
124-38-9

%

>60
1-10

TWA

50 ppm
5000 ppm



UN No: 1950
Hazchem Code: 2YE
DG Class: 2.2
Subsidiary Risk: 6.1
Packing group: None
Poisons Schedule: None
Max Haz Rating:: 3 (orange)

PROPERTIES



Gas.
Mixes with water.
Does not burn.

HEALTH HAZARD INFORMATION



Acute Health Effects:

Harmful if swallowed.
Irritating to skin.
Can be absorbed through skin.
Vapours may cause dizziness or suffocation.
Inhalation and/or skin contact may produce health damage*.
May produce discomfort of the eyes and respiratory tract*.
Vapours potentially cause drowsiness and dizziness*.
* (limited evidence).

Chronic Health Effects:

Limited evidence of a carcinogenic effect.
May affect fertility*.
Cumulative effects may result following exposure*.
Repeated exposure potentially causes skin dryness and cracking*.
* (limited evidence).

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

+	X	+	X	X	X	+

X: Must not be stored together
0: May be stored together with specific preventions
+: May be stored together

PRECAUTIONS FOR USE



Engineering Controls:

General Exhaust Ventilation adequate.

Glasses:

Safety Glasses.
Chemical goggles.

Gloves:

PVC chemical resistant type.

Respirator:

Type AXNO Filter of sufficient capacity

Storage & Transport:

Keep container tightly closed.
Keep container in a well ventilated place.
Keep away from food, drink and animal feeding stuffs.
Restrictions on Storage apply. Refer to Full Report.

PRECAUTIONS FOR USE

Fire/Explosion Hazard:

Vapours/ gas heavier than air.
Toxic smoke/fumes in a fire.
Risk of explosion if heated under confinement.

Environment:

This material and its container must be disposed of as hazardous waste.

EMERGENCY



FIRST AID

Swallowed:

Contact doctor or Poisons Centre.
Give glass of water.
Do NOT give milk or oil.
Do NOT give alcohol.

Eye:

Wash with running water (15 mins). Medical attention.

Skin:

Remove contaminated clothing. Wash with water and soap.

Inhaled:

Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

Advice to Doctor:

Treat symptomatically.
NO adrenalin.
Evaluate for respiratory distress. Decontaminate. NO adrenalin. Monitor carboxyhaemoglobin.

Fire Fighting:

Keep containers cool.
Keep surrounding area cool. Water spray/fog.

Spills & Disposal:

Spilled liquid has low temperature and evaporates quickly.
Prevent from entering drains.
Contain spillage by any means.
Control vapour with water spray/fog.
To clean the floor and all objects contaminated by this material, use water.

