

**TORCHMASTER**

**MEGA**

LE SALE SALE SALE SALE



**GAS EQUIPMENT**

Valid from 1 May until 31 July 2026

KITS | REGULATORS | WELDING HOSES |  
CUTTING ATTACHMENTS | FLASHBACK  
ARRESTORS | CUTTING TIPS & MORE

[torchmaster.com.au](http://torchmaster.com.au)

Order via email on [sales@torchmaster.com.au](mailto:sales@torchmaster.com.au)

# GAS KITS

WITH FLASHBACK ARRESTORS



TM9037



TM9038

## OXYGEN/ACETYLENE

41-12	Acetylene Cutting Tip 15-20mm
41-15	Acetylene Cutting Tip 20-75mm
41-8	Acetylene Cutting Tip 6-10mm
6025	Single Cup Flint Lighter
6051	Tip Cleaners Short 71mm
800243	Acetylene/LPG Mixer (550) 10mm
801777	Welding Goggles Flip-Front Shade 5
853721	Acetylene Heating Tip + Barrel 8x12
CS0258	Adjustable Spanner
FBARAC	Flashback Arrestor Fuel Gas (Regulator)
FBAROX	Flashback Arrestor Oxygen (Regulator)
FBATAC	Flashback Arrestor Fuel Gas (Torch)
FBATOX	Flashback Arrestor Oxygen (Torch)
SWT10	Acetylene Welding Tip 1-2mm
SWT12	Acetylene Welding Tip 2-4mm
SWT8	Acetylene Welding Tip 0.5-1mm
HA1005-OAK	Twin Oxy-Acet HA 10m x 5mm
TM241	Oxy/Fuel Gas Torch Handle Blowpipe
TM242	Cutting Attachment 90 Degrees 300mm (type 41)
TMAC14	Acetylene Regulator Twin Gauge 0-140 Kpa
TMOX10	Oxygen Regulator Twin Gauge 0-1000 Kpa

## OXYGEN/LPG

1390-3N	LPG Brazing Tip 1-2mm
1390-5N	LPG Brazing Tip 2-4mm
1390-6N	LPG Brazing Tip 4-6mm
1390H	LPG Multiflame Heating Tip
44-12	LPG Cutting Tip 12-20mm
44-15	LPG Cutting Tip 20-75mm
44-8	LPG Cutting Tip 6-12mm
6025	Single Cup Flint Lighter
6051	Tip Cleaners Short 71mm
CS0258	Adjustable Spanner
808593C	Brazing Tip Tube (800243 Mixer)
801777	Welding Goggles Flip-Front Shade 5
800243	Acetylene/LPG Mixer (550) 10mm
FBARAC	Flashback Arrestor Fuel Gas (Regulator)
FBAROX	Flashback Arrestor Oxygen (Regulator)
FBATAC	Flashback Arrestor Fuel Gas (Torch)
FBATOX	Flashback Arrestor Oxygen (Torch)
TM241	Oxy/Fuel Gas Torch Handle Blowpipe
TM242	Cutting Attachment 90 Degrees 300mm (type 41)
TMOX10	Oxygen Regulator Twin Gauge 0-1000 Kpa
HA1005-OLPK	Twin Oxy/LPG 10m x 5mm

### BOTH GAS KITS:

Wescol  ENGINEERED IN THE UNITED KINGDOM

#### FLASHBACK ARRESTORS

✓ AS 4603

#### GAS HOSE

✓ AS 1335

#### REGULATORS

✓ AS 4267

INCLUDING OXYGEN PROMOTION IGNITION TEST FOR ADDED SAFETY.

# REGULATORS



OMEAC14



OMEFL25



OMEARFL25S



OMECD55



OMEN210



OMEOX10

## OTHER REGULATORS

ITEM CODE	DESCRIPTION
OMEAR55	Argon Regulator Twin Gauge 0-34 L/min
OMEAR55S	Argon Regulator Twin Gauge 0-34 L/min (Side Entry)

OMECDFL25	CO2 Flowmeter Regulator 0-25 L/min
OMELP35	LPG Regulator Single Gauge 0-450 Kpa
OMEOX10S	Oxygen Regulator Twin Gauge 0-1000 Kpa (Side Entry)

# FLASHBACK ARRESTORS

### REGULATOR END



**FBARAC**  
FUEL GAS

**FBAROX**  
OXYGEN

### TORCH END



**FBATAC**  
FUEL GAS

**FBATOX**  
OXYGEN

# Wesco

**ENGINEERED IN THE UNITED KINGDOM**

✓ **AS 4603**

✓ **ISO 5175**

A flashback occurs when mixed gases ignite and burn back through a welding or cutting system, risking hose damage, equipment failure, fire or explosion. Quality flashback arrestors, correctly fitted, virtually eliminate this danger, protecting operators, equipment, productivity and your business from costly downtime.



# HOSES

## TWIN HOSES WITH FITTINGS

5MM

OXY / ACETYLENE



5MM 15M HA1505-OA

ITEM CODE	SIZE	LENGTH (Metres)
HA0305-OA	5mm	3
HA0505-OA	5mm	5
HA1005-OA	5mm	10
HA1505-OA	5mm	15
HA2005-OA	5mm	20
HA2505-OA	5mm	25
HA3005-OA	5mm	30

5MM

OXY / LPG



5MM 15M HA1505-OLP

ITEM CODE	SIZE	LENGTH (Metres)
HA0505-OLP	5mm	5
HA1005-OLP	5mm	10
HA1505-OLP	5mm	15
HA2005-OLP	5mm	20
HA2505-OLP	5mm	25
HA3005-OLP	5mm	30

10MM

OXY / LPG



10MM 15M HA1510-OLP

ITEM CODE	SIZE	LENGTH (Metres)
HA0510-OLP	10mm	5
HA1010-OLP	10mm	10
HA1510-OLP	10mm	15
HA2010-OLP	10mm	20
HA2510-OLP	10mm	25
HA3010-OLP	10mm	30

## SINGLE HOSES

5MM

10MM

ACETYLENE



5MM 100M WH10005-AC

ITEM CODE	SIZE	LENGTH (Metres)
WH10005-AC	5mm	100
WH10010-AC	10mm	100

5MM

10MM

OXYGEN



5MM 100M WH10005-OX

ITEM CODE	SIZE	LENGTH (Metres)
WH10005-OX	5mm	100
WH10010-OX	10mm	100

5MM

ARGON



5MM 100M WH10005-AR

ITEM CODE	SIZE	LENGTH (Metres)
WH10005-AR	5mm	100

### TWIN HOSES

OXY/ACETYLENE

5MM

WH10005-OA Oxy/Acetylene Twin Hose 5mm

OXY / LPG

5MM

10MM

WH10005-OLP Oxy/LPG Twin Hose 5mm

WH10010-OLP Oxy/LPG Twin Hose 10mm

### SINGLE HOSES

LPG

5MM

10MM

WH10005-LP LPG Single Hose 5mm

WH10010-LP LPG Single Hose 10mm

CUT LENGTH ATTRACT A 10% SURCHARGE.

### SINGLE HOSE WITH FITTINGS

ARGON

5MM

HA1005-AR Argon Hose Assembly 10M

HA1505-AR Argon Hose Assembly 15M

HA2005-AR Argon Hose Assembly 20M

HA2505-AR Argon Hose Assembly 25M

HA3005-AR Argon Hose Assembly 30M

# AUTO DARKENING HELMETS

**BLACK**

XR9585



**LIGHTNING**

XR9585.D01



**LUCKY**

XR9585.D13



**DARK STORM**  
series  
**TRUE COLOR**

**VIEWING AREA**  
98×88mm

**ARC SENSORS**  
4X

**OPTICAL CLASS**  
1/1/1/2

**DUAL SHADE 5-8/9-13**  
+GRIND MODE

**MAGNIFYING**  
LENS CLIP HOLDER

**IMPACT RATING**  
LEVEL B

**MULTI POINT**  
HARNES ADJUSTMENTS

✓ CE **ANSI AS/NZS**  
Z87.1 1337.1 / 1338.1

# CUTTING

## TORCH HANDLES

OXY/FUEL GAS  
TORCH HANDLE BLOWPIPE



OME241

## CUTTING ATTACHMENTS

300MM 90° TYPE 41



OME242

300MM 180° TYPE 41



OME242-180

HOT  
DEAL

## ONE PIECE CUTTING TORCHES

520MM 90° ACETYLENE



MPB52090A

520MM 90° PROPANE



MPB52090P

520MM 180° ACETYLENE



MPB52180A

975MM 90° ACETYLENE



MPB10090A

975MM 90° LPG



MPB10090P

975MM 180° ACETYLENE

ITEM CODE	DESCRIPTION
MPB10180A	One Piece Cutting Torch 975mm 180° Acetylene

975MM 180° LPG

ITEM CODE	DESCRIPTION
MPB10180A	One Piece Cutting Torch 975mm 180° Acetylene

UP TO  
**60%**  
OFF

# TIPS



## ACETYLENE

### CUTTING TIPS

41-6	1 - 6MM
41-8	6 - 10MM
41-10	10 - 15MM
41-12	15 - 20MM
41-15	20 - 75MM
41-20	75 - 125MM
41-24	125 - 200MM
41-32	200 - 275MM

## ACETYLENE

### GOUGING TIPS

<b>BENT</b>	
41-32GB	3 X 6MM
<b>STRAIGHT</b>	
41-32GS	3 X 6MM
<b>BENT</b>	
41-48GB	5 - 10MM
<b>BENT</b>	
41-64GB	6 - 12MM

## ACETYLENE

### WELDING TIPS

SWT8	0.5 - 1MM
SWT10	1 - 2MM
SWT12	2 - 4MM
SWT15	4 - 6MM
SWT20	6 - 9MM
SWT26	9 - 12MM

## LPG

### CUTTING TIPS

44-6	1 - 6MM
44-8	6 - 12MM
44-10	10 - 15MM
44-12	12 - 20MM
44-15	20 - 75MM
44-20	75 - 125MM
44-24	125 - 200MM
44-32	200 - 275MM

## LPG

### GOUGING TIPS

<b>BENT</b>	
44-32GB	3 X 6MM
<b>STRAIGHT</b>	
44-32GS	3 X 6MM
<b>BENT</b>	
44-48GB	5 - 10MM
<b>USED FOR SCRAP</b>	
44-48GS	METAL SCRAPER

## LPG

### WELDING & BRAZING TIPS

SWT541-8	0.5 - 1MM
SWT541-12	2 - 4MM
SWT554-8	0 - 2MM
SWT554-10	2.3 - 2.6MM
SWT554-12	3.2 - 4MM
SWT554-15	5 - 6.5MM

## CO<sub>2</sub> HEATER

OMECO2H

CO<sub>2</sub> heater designed to prevent regulator freeze and maintain consistent gas flow in CO<sub>2</sub> systems.



## ELECTRODE OVEN

5KG

OMEE05KG

Electrode oven 5kg capacity, designed for safe storage and moisture control of welding electrodes.




## ELECTRODE OVEN

10KG

OMEE010KG

Electrode oven 10kg capacity, designed for safe storage and moisture control of welding electrodes.



[torchmaster.com.au](http://torchmaster.com.au)

Order via email on [sales@torchmaster.com.au](mailto:sales@torchmaster.com.au)